

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A disruptor including ~~for constituting~~ an explosive charge, the disruptor comprising a container having a projectile and explosive material, the container comprising: an enclosure for holding explosive material, said enclosure having a wall of the projectile locatable at anyone of a number of positions ~~thereby to define~~ defining the capacity of said enclosure.
2. (Original) A disruptor according to Claim 1 wherein the container comprises one or more spacer elements to hold the wall in one position and so define the enclosure.
3. (Original) A disruptor according to Claim 2 wherein one or more of the spacer elements are provided in the container but outside the enclosure.
4. (Currently Amended) A disruptor according to Claim 2 ~~or 3~~ wherein one or more of the spacer elements are provided in the enclosure.
5. (Currently Amended) A disruptor according to ~~any of Claim~~[[s]] 2 ~~to 4~~ wherein a spacer element is of annular form.
6. (Currently Amended) A disruptor according to Claim 2 ~~any preceding claim~~ wherein a spacer element comprises a hollow compartment for water or other filler material.
7. (Currently Amended) A disruptor according to Claim 2 ~~any preceding claim~~ wherein the spacer element comprises part or all of the projectile.
8. (Original) A disruptor according to Claim 7 wherein the spacer element comprises a cavity for holding projectile material to form the projectile.

9. (Currently Amended) A disruptor according to Claim 1 ~~any preceding claim~~ wherein the projectile is of one of the following shapes:-

- (i) a cone form;
- (ii) a flat disc;
- (iii) a radially symmetric body provided with a spherical, hyperbolic or other concavity;
- (iv) a wedge of V-shaped section.

10. (Currently Amended) A disruptor according to Claim 1 ~~any preceding claim~~ wherein the projectile is made of one of the following materials:-

- (i) magnesium;
- (ii) zirconium;
- (iii) titanium.

11. (Currently Amended) A kit of parts for a disruptor according to Claim 1 ~~any preceding claim~~, the kit of parts including a container for a disruptor, a projectile, an enclosure for holding explosive material ~~and~~ having a wall of the projectile locatable at anyone of a number of positions thereby to define the capacity of said enclosure.

12. (Currently Amended) A method of filling a disruptor comprising a container having a comprising projectile and an enclosure for holding explosive material, the method comprising:

measuring out a quantity of explosive material, placing the quantity of explosive material in the enclosure, locating a wall of the projectile ~~enclosure~~ at any number of locatable positions so that the enclosure is filled with explosive material.

13. (Original) A method according to Claim 12 wherein the method includes providing one or more spacer elements to hold the wall in one position and so define the enclosure.

14. (Currently Amended) A method of filling a disruptor including ~~comprising~~ a container having a projectile and an enclosure for holding explosive material, the method comprising locating a wall of the projectile ~~enclosure~~ at any one of a number of locatable positions and then placing explosive material in the enclosure until filled.

15. (Original) A method according to Claim 14 wherein the method includes providing one or more spacer elements to hold the wall in one position and so define the enclosure.

16. (New) A method according to Claim 1, wherein the enclosure comprises a detonator disposed in said enclosure for detonating said disruptor.